

CATALOGUE 2009



AIRKRAFT

www.airkraft.com.tr

conveyor rollers air springs

ABOUT AIRKRAFT

Established in Bursa Freezone since 2000, AIRKRAFT produces a wide range of airsprings including Convoluted, Cabin, Seat, Lift-Axle and Belt Tensioner air spring types. At the end of 2007, AIRKRAFT moved to its new plant to reach a total of 6.000m² covered area, in three locations.

Being a leader in the domestic market since 2000, Aircraft today exports approximately 90% of its production to more than 70 countries worldwide.

Built upon Akta• Group tradition and experience, which is celebrating its 70th anniversary this year, we are taking secure steps towards our goal of being a world known company. In order to secure our product quality and these steps, we have upgraded our quality certificate to ISO TS 16949. Moreover, supplying all our raw materials from the Group, provides us a guaranteed chain of production until the finished product and maximum traceability down to the root.

Along with a vast number of tests done on raw materials (adhesion, ageing, resistances etc.), Aircraft also cinches the standard quality by applying many in-house tests such as impermeability, force, burst, dimension changes, hysteresis, tragkraft etc.

Cultivated by big name customers across the world including OEM companies, we are proud to bring OE attention and quality to AM customers.

CONVOLUTED AIRSPRINGS

Classified as single, double and triple, convoluted airsprings increasingly replace pneumatic cylinders in the world industry.

With higher course length, compactness, ease of usage and low maintenance costs, convoluted air springs offer the performance in lifting, compression, suspension and eliminating vibration both under vehicles and machines.

Convoluted airspring production in Türkiye first began in the late 70's under Aktas Group flag. Now Aircraft proudly provides local OEM brands as a sole supplier since 2000 as well as aftermarket customers.

CABIN AIR SPRINGS

Used in the truck and tractors' cabin as four point suspension, the cabin airsprings provide much more comfort in comparison to its preceiders, steel springs. Combining traditional shock absorbers with air springs instead of coil springs, this hybrid solution to suspension significantly eliminates vibration.

Since 2000, Aircraft supplies cabin airsprings and sole sleeves to leading European shock absorber producers.

SEAT AIR SPRINGS

Drivers' seat air springs provide a new breed of seat suspension, lowering fatigue, and health risks frequently faced by drivers. Eliminates the vibration for the most important part of the truck, the driver, and keeps the seat at an adjustable height at all times.

Besides supplying the aftermarket, Aircraft also supplies leading global seat producers.




ISO/TS 16949




STYLE NUMBER :1B-120
COMPLETE ORDER NO:112002
BELLOW ORDER NO :112002

FIRESTONE : W01.358-0010
CONTITECH : FS 50-5 62242

Bellows 2 Ply



Height Min.	50
Height Max.	88
Design h (mm)	75
Loading Capacity	7 bar 7 (KN)



Height Min.	50
Height Max.	88
Design h (mm)	75
Loading Capacity	7 bar 7 (KN)

STYLE NUMBER :1B-120
COMPLETE ORDER NO:111001
BELLOW ORDER NO :112002


FIRESTONE : W01-M58-6140 / 6948
CONTITECH : FS 50-5 61388
PHOENIX : 1 B04

RIDEWELL : 1003586948C


STYLE NUMBER :1B-150
COMPLETE ORDER NO:112003
BELLOW ORDER NO :112003

CONTITECH : FS 70-7 60512

Bellows 2 Ply



Height Min.	50
Height Max.	110
Design h (mm)	90
Loading Capacity	7 bar 6.4 (KN)



STYLE NUMBER :1B-150
COMPLETE ORDER NO:111002
BELLOW ORDER NO :112003

CONTITECH : FS 70-7 2681 015 000
PHOENIX : SP 1B 05


Height Min.	50
Height Max.	110
Design h (mm)	90
Loading Capacity	7 bar 6.4 (KN)



STYLE NUMBER :1B-190
COMPLETE ORDER NO :112004
BELLOW ORDER NO :112004


FIRESTONE : W01 358 0133
 CONTITECH : FS 120-9 60479

Bellows 2 Ply



Height Min.	50
Height Max.	130
Design h (mm)	110
Loading Capacity	7 bar 9.5 (KN)

Bellows 2 Ply






STYLE NUMBER :1B-190
COMPLETE ORDER NO :111003
BELLOW ORDER NO :112004

FIRESTONE : W01 M58 6165
 CONTITECH : FS 120-9 2681 030 000
 DUNLOP (FR): 8" x 1 S08 101

Height Min.	50
Height Max.	130
Design h (mm)	110
Loading Capacity	7 bar 9.5 (KN)


STYLE NUMBER :1B-190
COMPLETE ORDER NO:111005
BELLOW ORDER NO :112004

FIRESTONE : W01 M58 6166
CONTITECH : FS 120-9 61358
PHOENIX : 1 B 07
DUNLOP (FR): 8" x 1 S08 100



Height Min.	50
Height Max.	130
Design h (mm)	110
Loading Capacity	7 bar 9.5 (KN)

Bellows 2 Ply



STYLE NUMBER :1B-220
COMPLETE ORDER NO:112005
BELLOW ORDER NO :112005



CONTITECH : FS 200-10 60319

Height Min.	50
Height Max.	138
Design h (mm)	110
Loading Capacity	7 bar 14 (KN)



STYLE NUMBER :1B-220
COMPLETE ORDER NO :111004
BELLOW ORDER NO :112005

FIRESTONE : W01 M58 6374
CONTITECH : FS 200-10
PHOENIX : 1 B 12
DUNLOP (FR): 9" 1/4 x 1 S09101





STYLE NUMBER :220-60
COMPLETE ORDER NO :112001
BELLOW ORDER NO :112001

GART : T291 / B

Height Min.	55
Height Max.	215
Design h (mm)	
Loading Capacity	7bar 17 (KN)

STYLE NUMBER : 220-60
COMPLETE ORDER NO : 111150
BELLOW ORDER NO : 112001

GART : T291 / B (291.1.170)



STYLE NUMBER : 2B-150
COMPLETE ORDER NO : 114053
BELLOW ORDER NO : 114053


DUNLOP (FR) : 6" x 2 SP 917

Height Min.	75
Height Max.	200
Design h (mm)	120
Loading Capacity	7 bar 7 (KN)




STYLE NUMBER :2B-150
COMPLETE ORDER NO :113070
BELLOW ORDER NO :114053



DUNLOP (FR): 6" x 2



CLAMP RING : 311309



Height Min.	75
Height Max.	200
Design h (mm)	120
Loading Capacity	7 bar 7 (KN)




Height Min.	75
Height Max.	200
Design h (mm)	120
Loading Capacity	7 bar 7 (KN)

STYLE NUMBER :2B-150
COMPLETE ORDER NO :113071
BELLOW ORDER NO :114053


DUNLOP (FR) : DB 06219

STYLE NUMBER :2B-150
COMPLETE ORDER NO:113072
BELLOW ORDER NO :114053

DUNLOP (FR): 6" x 2



Height Min.	75
Height Max.	200
Design h (mm)	120
Loading Capacity	7 bar 7 (KN)



Height Min.	75
Height Max.	200
Design h (mm)	120
Loading Capacity	7 bar 7 (KN)

STYLE NUMBER :2B-150
COMPLETE ORDER NO:113073
BELLOW ORDER NO :114053

DUNLOP (FR) : 6" x 2 SP1482




STYLE NUMBER : 2B-180
COMPLETE ORDER NO : 114050
BELLOW ORDER NO : 114050


PHOENIX : 2B 07R
 FIRESTONE : W01-358-0142
 PIRELLI : 26
 CONTITECH : 603 N

GRANNING : 15801

Bellows 2 Ply




Height Min.	80
Height Max.	235
Design h (mm)	170
Loading Capacity	7 bar 11.5 (KN)



STYLE NUMBER : 2B-180
COMPLETE ORDER NO : 113052
BELLOW ORDER NO : 114050

PHOENIX : SP 2B 07R
 DUNLOP : PNP 305 510 111
 CONTITECH : 603N
 GOODYEAR : 2B 8-550
 PIRELLI : 26

GIGANT : 196028






Height Min.	80
Height Max.	235
Design h (mm)	170
Loading Capacity	7bar 11.5 (KN)


STYLE NUMBER :2B-180
COMPLETE ORDER NO :113053
BELLOW ORDER NO :114050

DUNLOP : SO 8201
 FIRESTONE : W01-M58-6378
 CONTITECH : FD 120 - 17
 GOODYEAR : 2B 7-540
 PIRELLI : T26 84181
 TAURUS : KF 218

GIGANT : 196028
 GRANNING : 16036
 HENDRICKSON : NA 1821 Metric



Height Min.	80
Height Max.	235
Design h (mm)	170
Loading Capacity	7bar 11.5 (KN)




STYLE NUMBER :2B-180
COMPLETE ORDER NO :113054
BELLOW ORDER NO :114050

FIRESTONE : W01-M58-6353

GIGANT : 196028


BOTTOM PLATE : 311021




Height Min.	80
Height Max.	235
Design h (mm)	170
Loading Capacity	7bar 11.5 (KN)



STYLE NUMBER : 2B-180
COMPLETE ORDER NO : 113055
BELLOW ORDER NO : 114050



Height Min.	80
Height Max.	235
Design h (mm)	170
Loading Capacity	7bar 11.5 (KN)




STYLE NUMBER : 2B-180
COMPLETE ORDER NO : 113057
BELLOW ORDER NO : 114050


Height Min.	80
Height Max.	235
Design h (mm)	170
Loading Capacity	7bar 11.5 (KN)

STYLE NUMBER :2B-200
COMPLETE ORDER NO :114051
BELLOW ORDER NO :114051

CONTITECH : FD 138-18 S
DUNLOP : 8" x 2



Height Min.	75
Height Max.	250
Design h (mm)	220
Loading Capacity	7bar 11.5 (KN)



Height Min.	75
Height Max.	250
Design h (mm)	220
Loading Capacity	7bar 11.5 (KN)


STYLE NUMBER :2B-200
COMPLETE ORDER NO :113060
BELLOW ORDER NO :114051

DUNLOP : SP 1490 (8" x 2)
CONTITECH : FD 138 - 18 1/2 M10


FRUEHAUF : F48054M80A04
GRANNING : 15803 / A06030604
SAMRO : H2500188



STYLE NUMBER :2B-200
COMPLETE ORDER NO :113062
BELLOW ORDER NO :114051



Height Min.	75
Height Max.	250
Design h (mm)	220
Loading Capacity	7 bar 11.5(KN)



Height Min.	96
Height Max.	265
Design h (mm)	170
Loading Capacity	7bar 17 (KN)

STYLE NUMBER :2B-215
COMPLETE ORDER NO :113015
BELLOW ORDER NO :114005

PHOENIX : SP2B 12 R - 12


HENDRICKSON: HS507907/ P

Bellows 2 Ply


STYLE NUMBER : 2B-220
COMPLETE ORDER NO : 114001
BELLOW ORDER NO : 114001

PHOENIX : 2B 12R
 CONTITECH : FD 200-19 S (895N)
 FIRESTONE : W01-095- 0009
 GOODYEAR : 2B9-200
 PIRELLI : T20 86600

GRANNING : 15947



Height Min.	80
Height Max.	265
Design h (mm)	170
Loading Capacity	7bar 17 (KN)



Height Min.	80
Height Max.	265
Design h (mm)	170
Loading Capacity	7bar 17 (KN)

STYLE NUMBER : 2B-220
COMPLETE ORDER NO : 113001
BELLOW ORDER NO : 114001

PHOENIX : SP 2B 12R
 DUNLOP : 9" SO 9201
 FIRESTONE : W01-M58-6887/6910
 CONTITECH : FD 200-19 1/4
 GART : T291 / 2 (291.2.200)
 PIRELLI : T20
 GOODYEAR : 2B9- 201


DAF(Truck) : 0654464 metric
 GRANNING : 15603
 MERITOR : 21221395-21222663
 PEGASO : 528919 5266 / 5231 / 5236
 ROR : 21221395-21222663
 TERBERG : 21074519
 VOLVO : 6882797
 VOLVO : 365461 Bus B 58 - 365431
 WEWELER : US 06910 F




STYLE NUMBER : 2B-220
COMPLETE ORDER NO : 113004
BELLOW ORDER NO : 114001

CONTITECH : FD200-19 M8
 PHOENIX : 2B 12R-1


GRANNING : A06030604
 MERCEDES : A 942 327 06 01
 MERITOR : 2122 1395



TOP PLATE : 311011




BOTTOM PLATE : 311012




Bellows 2 Ply


Height Min.	80
Height Max.	265
Design h (mm)	170
Loading Capacity	7bar 17 (KN)



TOP PLATE : 311013



BOTTOM PLATE : 311002




Bellows 2 Ply


STYLE NUMBER : 2B-220
COMPLETE ORDER NO : 113005
BELLOW ORDER NO : 114001

Height Min.	80
Height Max.	265
Design h (mm)	170
Loading Capacity	7bar 17 (KN)

STYLE NUMBER :2B-220
 COMPLETE ORDER NO:113006
 BELLOW ORDER NO :114001




Height Min.	80
Height Max.	265
Design h (mm)	170
Loading Capacity	7bar 17 (KN)



STYLE NUMBER :2B-220
 COMPLETE ORDER NO:113017
 BELLOW ORDER NO :114001

FIRESTONE : W01 358 6910
 GOODYEAR : 2B9-200
 TAURUS : KF218-6910



 GRAINNING : 1371
 HENDRICKSON : 45843-3/ B-8768
 RIDEWELL : 1003586910C/ S4512C
 WATSON& CHALIN: AS-0001
 DAF : 0654464
 DAYTON : 354- 6910
 TRIANGLE : 4320




Height Min.	80
Height Max.	265
Design h (mm)	170
Loading Capacity	7bar 17 (KN)





STYLE NUMBER :2B-220
COMPLETE ORDER NO :113021
BELLOW ORDER NO :114001



BOTTOM LATE : 311271



Height Min.	80
Height Max.	265
Design h (mm)	170
Loading Capacity	7 bar 17 (KN)




Bellows 2 y

STYLE NUMBER :2B-220
COMPLETE ORDER NO :113026
BELLOW ORDER NO :114001

GOOD YEAR : 2B9-229
PI FIRESTONE : W01 358 6897

WATSON& CHALIN: AS-0058
TRIANGLE : 4505

BOTTOM LATE : 311286






Height Min.	80
Height Max.	265
Design h (mm)	170
Loading Capacity	7 bar 17 (KN)




STYLE NUMBER : 2B-220
COMPLETE ORDER NO: 113027
BELLOW ORDER NO : 114001

FIRESTONE : W01-358-6902/ 6935
 GOODYEAR : 2B9-201
 TAURUS : KF218- 6902

GRANNING : 4848
 HENDRICKSON TRAILER: S2630/ B2630
 R& S TRUCK& BODY : 1027505
 RIDEWELL : 1003586902C/ S1728C
 WATSON&CHALIN : AS-0002
 TRIANGLE : 4310
 DAYTON : 354-6902



Height Min.	100
Height Max.	265
Design h (mm)	170
Loading Capacity	7 bar 17 (KN)



Height Min.	100
Height Max.	265
Design h (mm)	170
Loading Capacity	7 bar 17(KN)

STYLE NUMBER : 2B-220
COMPLETE ORDER NO: 113028
BELLOW ORDER NO : 114001


FIRESTONE : W01.358-6905
 GOODYEAR : 2B9-206
 TAURUS : KF218-6905

HENDRICKSON TRAILER: S3518/ S5270/ 45843-1
 RIDEWELL : 1003586905C/ S2845C
 WATSON&CHALIN : AS-0020/ AS-0110
 TRIANGLE : 4315
 DAYTON : 354-6905





STYLE NUMBER : 2B-220
COMPLETE ORDER NO : 113474
BELLOW ORDER NO : 114001

FIRESTONE : 20 T3 095.0313




BOTTOM LATE : 311316





Height Min.	85
Height Max.	265
Design h (mm)	170
Loading Capacity	7 bar 17 (KN)

Bellows 2 y



BOTTOM LATE : 311012



STYLE NUMBER : 2B-220
COMPLETE ORDER NO : 113475
BELLOW ORDER NO : 114001



FIRESTONE : 20 T3 095.0353

Height Min.	80
Height Max.	265
Design h (mm)	170
Loading Capacity	7 bar 17 (KN)

STYLE NUMBER : 2B-220-3
COMPLETE ORDER NO: 113002
BELLOW ORDER NO : 114002

PHOENIX : 2B 12R-3
 FIRESTONE : W01-M58-7894
 CONTITECH : FD 200-19 P04
 PIRELLI : T20 86660
 DUNLOP : S09208
 GOODYEAR : 2B9-287
 TAURUS : KF 216

GRANNING : A06030604
 SAF : 1600 4.229.1004.00
 SCANIA : 131 9761-138 7289



STYLE NUMBER : 2B-220-3
COMPLETE ORDER NO: 113003
BELLOW ORDER NO : 114002



DUNLOP : 9" SO 9203

SAF : 45.98.00.5419.2



STYLE NUMBER : 2B-220-3
COMPLETE ORDER NO : 113018
BELLOW ORDER NO : 114002

SCANIA : 1387283






STYLE NUMBER : 2B-225
COMPLETE ORDER NO : 114004
BELLOW ORDER NO : 114004

Height Min.	110
Height Max.	330
Design h (mm)	245
Loading Capacity	7bar 17 (KN)



STYLE NUMBER : 2B-225
COMPLETE ORDER NO: 113010
BELLOW ORDER NO : 114004

DUNLOP : S09280
 FIRESTONE : W01-M587679
 GART : T291/2B (291.2.260)
 CONTITECH : FD 200- 25
 GOODYEAR : 2B9-269

GRANNING : 15670
 WEWELER : US 07394F
 MERITOR : 2122 1356
 TOUGHLINE : 15670



Height Min.	110
Height Max.	330
Design h (mm)	245
Loading Capacity	7bar 17 (KN)



Height Min.	110
Height Max.	330
Design h (mm)	245
Loading Capacity	7bar 17 (KN)

STYLE NUMBER : 2B-225
COMPLETE ORDER NO: 113011
BELLOW ORDER NO : 114004

FIRESTONE : W01-S05-7182



GRANNING : 15710
 SAF : 1319761
 SCANIA : 1387283




STYLE NUMBER : 2B-225
COMPLETE ORDER NO : 113012
BELLOW ORDER NO : 114004

DUNLOP : S09280 (9" 1/4 x 2)
 FIRESTONE : W01- M58- 7394

WEWELER : US 07394F
 MERITOR : 2122 1356
 TOUGHLINE : 15670




Height Min.	110
Height Max.	330
Design h (mm)	245
Loading Capacity	7bar 17 (KN)



STYLE NUMBER : 2B-225
COMPLETE ORDER NO : 113013
BELLOW ORDER NO : 114004

FIRESTONE : W01-358-6948
 GOODYEAR : 2B9- 251

RIDEWELL : 1003586948C
 TRIANGLE : 4429




Height Min.	110
Height Max.	330
Design h (mm)	245
Loading Capacity	7bar 17 (KN)


STYLE NUMBER :2B-225
COMPLETE ORDER NO:113038
BELLOW ORDER NO :114004

FIRESTONE : W01 M58 6891


SCANIA : 1387283
SAF : 1319761




BOTTOM LATE : 311002



Height Min.	110
Height Max.	330
Design h (mm)	245
Loading Capacity	7 bar 17 (KN)



BOTTOM LATE : 311316



Height Min.	110
Height Max.	330
Design h (mm)	245
Loading Capacity	7 bar 17 (KN)

STYLE NUMBER :2B-225
COMPLETE ORDER NO:113473
BELLOW ORDER NO :114004

FIRESTONE : 20 2T3 095.0256




STYLE NUMBER :2B-250Hyd
COMPLETE ORDER NO :114151
BELLOW ORDER NO :114151


CONTITECH : 620 N Hydro
 PIRELLI : T245 BV

GRANNING : 15710
 SAF : 1319761
 SCANIA : 1387283
 ROR : 21221395-21222663
 TERBERG : 21074519
 VOLVO : 6882797
 VOLVO : 365461 Bus B 58 - 365431
 WEWELER : US 06910 F

Bellows 4 Ply



Height Min.	75
Height Max.	310
Design h (mm)	170
Loading Capacity	7bar 21 (KN)



STYLE NUMBER :2B-250-Hyd
COMPLETE ORDER NO :113150
BELLOW ORDER NO :114151

CONTITECH : 620 N Hydro
 PIRELLI : T245 BV 92141


VOLVO : 6882797
 VOLVO : 365461 Bus B 58
 BPW : 05.4290.00.40

Height Min.	75
Height Max.	310
Design h (mm)	170
Loading Capacity	7 bar 21 (KN)


STYLE NUMBER :2B-250
COMPLETE ORDER NO:114150
BELLOW ORDER NO :114150

PHOENIX : 2B 15R
FIRESTONE : W01-095-0219
CONTITECH : 620 N
PIRELLI : T245 93625

GRANNING : 16051
BPW : 05 429 00 040
MAGIRUS : 0342 2652
MAN : 81436010023
ZORZI : 1006500
BPW : 02.200.20.80.0



Height Min.	75
Height Max.	310
Design h (mm)	170
Loading Capacity	7 bar 21 (KN)



STYLE NUMBER :2B-250
COMPLETE ORDER NO:113151
BELLOW ORDER NO :114150

PIRELLI : T245 93740


Height Min.	75
Height Max.	310
Design h (mm)	170
Loading Capacity	7 bar 21(KN)




STYLE NUMBER :2B-255
COMPLETE ORDER NO :114100
BELLOW ORDER NO :114100

DUNLOP : SP920 (VSM 10176) (10 x 2)
 FIRESTONE : W01 095 0175
 CONTITECH : FD210- 22S

GRANNING : 15808
 RVI BUS : VSM 10176



Height Min.	70
Height Max.	270
Design h (mm)	170
Loading Capacity	7bar 21 (KN)



STYLE NUMBER :2B-255
COMPLETE ORDER NO :113100
BELLOW ORDER NO :114100

DUNLOP : SP 1538 (10 x 2)
 CONTITECH : FD 210-22 1/2 M 10


GRANNING : 15807
 SAMRO : H 250-0021

Height Min.	70
Height Max.	270
Design h (mm)	170
Loading Capacity	7bar 21 (KN)


STYLE NUMBER :2B-255
COMPLETE ORDER NO:113101
BELLOW ORDER NO :114100

DUNLOP : SP 1003 (10 x 2)

GRANNING : 15853



Height Min.	70
Height Max.	270
Design h (mm)	170
Loading Capacity	7bar 21 (KN)



STYLE NUMBER :2B-260
COMPLETE ORDER NO:114200
BELLOW ORDER NO :114200

CONTITECH : 926 N

BPW : 02.2002.12.00

Height Min.	75
Height Max.	330
Design h (mm)	170
Loading Capacity	7bar 23 (KN)




STYLE NUMBER : 2B-285
COMPLETE ORDER NO : 114250
BELLOW ORDER NO : 114250


PHOENIX : 2B 20R
 CONTITECH : 608 N
 TAURUS : KF211-200

GRANNING : 15853
 BPW : 02.2002.05.00
 MAGIRUS : 0342 2571
 MAN : 81 43601 0022
 MAN : 88 96420 0217
 KASSBOHRER : 473 1003000

Bellows 2 Ply



Height Min.	75
Height Max.	330
Design h (mm)	200
Loading Capacity	7bar 28.5 (KN)



Bellows 2 Ply

STYLE NUMBER : 2B-285
COMPLETE ORDER NO : 113250
BELLOW ORDER NO : 114250

CONTITECH : 608 N

BPW : 05.429.00.01.0


Height Min.	75
Height Max.	330
Design h (mm)	200
Loading Capacity	7bar 28.5 (KN)

STYLE NUMBER : 2B-300
COMPLETE ORDER NO: 114300
BELLOW ORDER NO : 114300


DUNLOP : SP 256 NB (VSM 10178) (12X2)
 CONTITECH : FD 412-18 S

GRANNING : 15603
 KAISER : A 060 30 616
 LOHR : Y 0000 1737
 METRO BUS : X 664 1055

Bellows 2 Ply



Height Min.	75
Height Max.	270
Design h (mm)	170
Loading Capacity	7bar 32 (KN)



STYLE NUMBER : 2B-300
COMPLETE ORDER NO: 113300
BELLOW ORDER NO : 114300

DUNLOP : SP 1541 NB
 CONTITECH : FD 412- 18 1/2 M10 (12 x 2)

GIGANT : 881202
 GIRANNING : 15813
 WEWELER : USN 5100 11 KD



Height Min.	75
Height Max.	270
Design h (mm)	170
Loading Capacity	7bar 32 (KN)



STYLE NUMBER : 2B-300
COMPLETE ORDER NO : 113301
BELLOW ORDER NO : 114300

DUNLOP : SP 2665 (12 x 2)
 CONTITECH : FD 412 - 18

BENALU : M 063 796
 GRANNING : 15814
 KAISER : A 060 30 615
 LOHR : A 063 0601
 TROUILLET : HB 10350
 GT-FRUEHAUF : U. JB 09 85/A



STYLE NUMBER : 2B-300
COMPLETE ORDER NO : 113305
BELLOW ORDER NO : 114300


GART : T291/ B (291.1.170)
 CONTITECH : FD 412-18
 DUNLOP : SP 1025 NB

GRANNING : 15863
 KAISER : A 060 30 616
 LOHR : Y 0000 1137


STYLE NUMBER :2B-301
COMPLETE ORDER NO:114301
BELLOW ORDER NO :114301

PHOENIX : 2B 22R
 FIRESTONE : W01 3580226
 PIRELLI : T22 88544

Bellows 2 Ply




Height Min.	75
Height Max.	290
Design h (mm)	240
Loading Capacity	7bar 32 (KN)



STYLE NUMBER :2B-301
COMPLETE ORDER NO:113306
BELLOW ORDER NO :114301

CONTITECH : FD 330-22 1/1 M8


MAN : 81436010022
 BPW : 02.2002.19.00
 BUSSING : 546 905 134
 BUSSING : 831 120 120
 HENDRICKSON : NA 1816
 SAF : 2.229.1001.00
 MAGIRUS : 0345 25 71




Height Min.	75
Height Max.	290
Design h (mm)	240
Loading Capacity	7bar 32 (KN)




STYLE NUMBER : 2B-301
COMPLETE ORDER NO : 113307
BELLOW ORDER NO : 114301




TOP PLATE : 311062



Height Min.	75
Height Max.	290
Design h (mm)	240
Loading Capacity	7bar 32 (KN)



TOP PLATE : 311059



BOTTOM PLATE : 311060

Height Min.	75
Height Max.	290
Design h (mm)	240
Loading Capacity	7 bar 32 (KN)


STYLE NUMBER : 2B-301
COMPLETE ORDER NO : 113308
BELLOW ORDER NO : 114301

PHOENIX : 2B22R
 DUNLOP : S 12202
 FIRESTONE : W01-M58-6381
 CONTITECH : FD 330-23
 GOODYEAR : 2B12-425

GRANNING : 15646
 HENDRICKSON : NA 1816


STYLE NUMBER :2B-301
COMPLETE ORDER NO:113309
BELLOW ORDER NO :114301

FIRESTONE : W01-M58-6200



STYLE NUMBER :2B-301
COMPLETE ORDER NO:113310
BELLOW ORDER NO :114301

PHOENIX : SP 2B 22R





STYLE NUMBER : 2B-301
COMPLETE ORDER NO : 113312
BELLOW ORDER NO : 114301

DUNLOP : S 12201 (12 x 2)



HENDRICKSON : NA 1816

GRANNING : 15646

SAF : 3.229.1001.00



Height Min.	75
Height Max.	290
Design h (mm)	240
Loading Capacity	7bar 32 (KN)





Height Min.	75
Height Max.	290
Design h (mm)	240
Loading Capacity	7bar 32 (KN)

STYLE NUMBER : 2B-301
COMPLETE ORDER NO : 113313
BELLOW ORDER NO : 114301

PHOENIX : SP 2B22R

STYLE NUMBER :2B-301
 COMPLETE ORDER NO:113314
 BELLOW ORDER NO :114301



STYLE NUMBER :2B-301
 COMPLETE ORDER NO:113333
 BELLOW ORDER NO :114301

FIRESTONE : W01 358 7400
 GOODYEAR : 2B12- 309
 TAURUS : KF222-7400



SCANIA (TRUCK) : 1304528
 GRANNING : 2726
 HENDRICKSON TRAILER: S1013/C1013
 RIDEWELL : 1003587400C
 WATSON& CHALIN : AS- 0003
 TRIANGLE : 4364





STYLE NUMBER : 2B-301
COMPLETE ORDER NO : 113334
BELLOW ORDER NO : 114301

FIRESTONE : W01 358 7410
 GOODYEAR : 2B12- 406
 TAURUS : KF222-7410
 AS 214- 7410

FREIGHTLINER : 16-11378 000
 HENDRICKSON TRAILER: S-10170
 TRIANGLE : 4331



Height Min.	103
Height Max.	290
Design h (mm)	240
Loading Capacity	7 bar 32 (kN)



Height Min.	125
Height Max.	290
Design h (mm)	240
Loading Capacity	7 bar 32 (kN)


STYLE NUMBER : 2B-301
COMPLETE ORDER NO : 113329
BELLOW ORDER NO : 114301

SCANIA : 1510249


STYLE NUMBER :2B-301
COMPLETE ORDER NO:113339
BELLOW ORDER NO :114301

FIRESTONE : W01 358 7403
GOODYEAR : 2B12- 307
TAURUS : KF222-7403

GRANNING : 2725
HENDRICKSON : NA 1860/B1159/B2883
HENDRICKSON TRAILER: S 1159/ S 2883
WATSON& CHALIN : AS-0007/AS-0068
RIDEWELL : 1003587403C



Height Min.	103
Height Max.	290
Design h (mm)	240
Loading Capacity	7 bar 32 (kN)



Height Min.	103
Height Max.	360
Design h (mm)	
Loading Capacity	7 bar 34.3 (kN)

STYLE NUMBER :2B-315
COMPLETE ORDER NO:113320
BELLOW ORDER NO :114303

PHOENIX : SP 2B22-Ra-2

HENDRICKSON : HS507906/P




STYLE NUMBER : 2B-320
COMPLETE ORDER NO : 114302
BELLOW ORDER NO : 114302


FIRESTONE : W01 358 0259

GRANNING : 1218

Bellows 2 Ply



Height Min.	110
Height Max.	330
Design h (mm)	266
Loading Capacity	7bar 34 (KN)



STYLE NUMBER : 2B-320
COMPLETE ORDER NO : 113311
BELLOW ORDER NO : 114302



DUNLOP : S 12280
FIRESTONE : W01-358-7443 / 7440
GOODYEAR : 2B12-305

GRANNING : 1218
TOUGHLINE : 1218
RIDEWELL : 1003587443C
WATSON&CHALIN : AS-0027

Height Min.	110
Height Max.	330
Design h (mm)	266
Loading Capacity	7bar 34 (KN)

STYLE NUMBER :2B-320
COMPLETE ORDER NO:113325
BELLOW ORDER NO :114302

FIRESTONE : 22-1.5 T3 095.0258




STYLE NUMBER :2B-320
COMPLETE ORDER NO:113326
BELLOW ORDER NO :114302




STYLE NUMBER : 2B-320
COMPLETE ORDER NO : 113341
BELLOW ORDER NO : 114302

FIRESTONE : W01 358 7550/ 7555
 GOODYEAR : 2B12- 440


WATSON& CHALIN : AS-0087
 HISTEER : 10315



BOTTOM PLATE : 311295




Height Min.	110
Height Max.	330
Design h (mm)	266
Loading Capacity	7 bar 34 (KN)



STYLE NUMBER : 2B-320
COMPLETE ORDER NO : 113342
BELLOW ORDER NO : 114302

FIRESTONE : W01 M58 6875

R.O.R./ MERITOR: 21226068




Height Min.	110
Height Max.	330
Design h (mm)	266
Loading Capacity	7 bar 34 (KN)

STYLE NUMBER :2B-350
COMPLETE ORDER NO:114304
BELLOW ORDER NO :114304


DUNLOP : SP 2770

Bellows 2 Ply



Height Min.	70
Height Max.	390
Design h (mm)	
Loading Capacity	7bar 38 (kN)

Bellows 2 Ply



STYLE NUMBER :2B-350
COMPLETE ORDER NO:113330
BELLOW ORDER NO :114304


DUNLOP : SP2782 NB

FRUEHAUF : M07824 G

Height Min.	70
Height Max.	390
Design h (mm)	
Loading Capacity	7bar 38 (kN)




STYLE NUMBER :2B-350
COMPLETE ORDER NO :113331
BELLOW ORDER NO :114304



Height Min.	70
Height Max.	390
Design h (mm)	
Loading Capacity	7bar 38 (KN)

STYLE NUMBER :2B-355
COMPLETE ORDER NO :114450
BELLOW ORDER NO :114450

FIRESTONE : 21- 095.0035




Height Min.	122
Height Max.	304
Design h (mm)	240
Loading Capacity	7bar 37.4 (KN)


STYLE NUMBER : 2B-355
COMPLETE ORDER NO: 113450
BELLOW ORDER NO : 114450

PHOENIX : SP 2B34R

GRANNING : 1218
 TOUGHLINE : 1218
 RIDEWELL : 1003587443C
 WATSON&CHALIN : AS-0027



Height Min.	122
Height Max.	304
Design h (mm)	240
Loading Capacity	7bar 37.4 (KN)



STYLE NUMBER : 2B-355
COMPLETE ORDER NO: 113453
BELLOW ORDER NO : 114450

CONTITECH : FD 530-22
 FIRESTONE : W01 358 7224
 PIRELLI : 1938

GRANNING : 16022
 DAF : 1 307 058



Height Min.	122
Height Max.	304
Design h (mm)	240
Loading Capacity	7bar 37.4 (KN)





STYLE NUMBER : 2B-355
COMPLETE ORDER NO : 113454
BELLOW ORDER NO : 114450

FIRESTONE : W01-358-7135
 GOODYEAR : 2B 14-360

GRANNING : 15647
 NEWAY : 90557001
 NEWAY : M05 57 003





Height Min.	122
Height Max.	304
Design h (mm)	240
Loading Capacity	7bar 37.4 (KN)



Height Min.	122
Height Max.	304
Design h (mm)	240
Loading Capacity	7bar 37.4 (KN)

STYLE NUMBER : 2B-355
COMPLETE ORDER NO : 113455
BELLOW ORDER NO : 114450

STYLE NUMBER :2B-355
COMPLETE ORDER NO:113459
BELLOW ORDER NO :114450




STYLE NUMBER :2B-355
COMPLETE ORDER NO:113460
BELLOW ORDER NO :114450




STYLE NUMBER : 2B-355
COMPLETE ORDER NO : 113464
BELLOW ORDER NO : 114450

FIRESTONE : W01-358-7140
 : W01-681-7110
 GOODYEAR : 2B 14-359
 TAURUS : KF221-7140

GRANNING : 1015/ 15663
 HENDRICKSON : B-3184
 RIDEWELL : 1003587140C
 WATSON& CHALIN: AS-0008



Height Min.	122
Height Max.	304
Design h (mm)	240
Loading Capacity	7 bar 37.4 (KN)





STYLE NUMBER : 2B-355 Hyd
COMPLETE ORDER NO : 114452
BELLOW ORDER NO : 114452

Height Min.	122
Height Max.	304
Design h (mm)	240
Loading Capacity	7 bar 37.4 (KN)


STYLE NUMBER :2B-355 Hyd
COMPLETE ORDER NO:113452
BELLOW ORDER NO :114452

FIRESTONE : W01- 358- 7880

WEWELER : US 07880F



Height Min.	122
Height Max.	304
Design h (mm)	240
Loading Capacity	7bar 37.4 (KN)



STYLE NUMBER :2B-360
COMPLETE ORDER NO:114451
BELLOW ORDER NO :114451


PHOENIX : 2B 34R-b

Height Min.	100
Height Max.	340
Design h (mm)	200
Loading Capacity	7bar 38 (KN)




STYLE NUMBER : 2B-360
COMPLETE ORDER NO : 113451
BELLOW ORDER NO : 114451

PHOENIX : SP 2B 34R-b



Bellows 2 Ply



STYLE NUMBER : 2B-370
COMPLETE ORDER NO : 114350
BELLOW ORDER NO : 114350

DUNLOP : SP 1039(VSM 10246) 14 x 2
 CONTITECH : FD 614-26



GRANNING : 15823
 SAMRO : 250-0012

Height Min.	75
Height Max.	340
Design h (mm)	250
Loading Capacity	7bar 45 (KN)

STYLE NUMBER :2B-370
COMPLETE ORDER NO:113353
BELLOW ORDER NO :114350

DUNLOP : 14x2
CONTITECH : FD 614-26

SAMRO : 250-0012



STYLE NUMBER :2B-370
COMPLETE ORDER NO:113354
BELLOW ORDER NO :114350

DUNLOP : SP 1988 (14 x 2)
PNP 304 140 137
CONTITECH : FD 614- 26


GRANNING : 15822




STYLE NUMBER : 2B-370
COMPLETE ORDER NO : 113355
BELLOW ORDER NO : 114350

DUNLOP : SP 1041
 CONTITECH : FD 614-26

KAISER : Y11000603




Height Min.	75
Height Max.	340
Design h (mm)	250
Loading Capacity	7bar 45 (KN)



STYLE NUMBER : 2B-370
COMPLETE ORDER NO : 113358
BELLOW ORDER NO : 114350

DUNLOP : SP 1556 (PNP 304 140 117)
 CONTITECH : FD 614-26 1/2 M10

GRANNING : 15821
 WEWELER : USN 5100 10DX
 GIGANT : 88 1205





Height Min.	75
Height Max.	340
Design h (mm)	250
Loading Capacity	7bar 45 (KN)

STYLE NUMBER :2B-370
COMPLETE ORDER NO:113359
BELLOW ORDER NO :114350


DUNLOP : SP 1998
CONTITECH : FD 614-26

GRANNING : 15882
GT FRUEHAUF : J40 108 M08 A05



Height Min.	75
Height Max.	340
Design h (mm)	250
Loading Capacity	7bar 45 (KN)

Bellows 4 Ply



STYLE NUMBER :2B-370 Hyd
COMPLETE ORDER NO:114351
BELLOW ORDER NO :114351



DUNLOP : 14x2 RE
CONTITECH : FD 614-26

Height Min.	75
Height Max.	340
Design h (mm)	250
Loading Capacity	7bar 45 (KN)




STYLE NUMBER : 2B-370 Hyd
COMPLETE ORDER NO : 113350
BELLOW ORDER NO : 114351

DUNLOP : 14x2 RE
 CONTITECH : FD 614-26



Height Min.	75
Height Max.	340
Design h (mm)	250
Loading Capacity	7bar 45 (KN)



STYLE NUMBER : 2B-370 Hyd
COMPLETE ORDER NO : 113351
BELLOW ORDER NO : 114351


DUNLOP : 14x2 RE
 CONTITECH : FD 614-26

TROUILLET : 1001270


Height Min.	75
Height Max.	340
Design h (mm)	250
Loading Capacity	7bar 45 (KN)

STYLE NUMBER :2B-370 Hyd
COMPLETE ORDER NO:113352
BELLOW ORDER NO :114351

DUNLOP : 14x2 RE
CONTITECH : FD 614-26



Height Min.	75
Height Max.	340
Design h (mm)	250
Loading Capacity	7bar 45 (KN)



STYLE NUMBER :2B-370 Hyd
COMPLETE ORDER NO:113356
BELLOW ORDER NO :114351

DUNLOP : 14x2 RE
CONTITECH : FD 614-26

GRANNING : 15822



Height Min.	75
Height Max.	340
Design h (mm)	250
Loading Capacity	7bar 45 (KN)




STYLE NUMBER : 2B-370 Hyd
COMPLETE ORDER NO : 113357
BELLOW ORDER NO : 114351

DUNLOP : 14x2 RE
 CONTITECH : FD 614-26

KAISER : Y11 00063



Height Min.	75
Height Max.	340
Design h (mm)	250
Loading Capacity	7bar 45 (KN)



STYLE NUMBER : 2B-370 Hyd
COMPLETE ORDER NO : 113361
BELLOW ORDER NO : 114351

DUNLOP : SP 2599
 CONTITECH : FD 614-26

IVECO : 8194818
 VIBERTI : 128 118 102
 CARDI : 580553800


Height Min.	75
Height Max.	340
Design h (mm)	250
Loading Capacity	7bar 45 (KN)

Bellows 2 Ply

STYLE NUMBER : 2B-400
COMPLETE ORDER NO : 114400
BELLOW ORDER NO : 114400

DUNLOP : SP 1998



GRANNING : 15831
 SAMPRO : 2500013




Height Min.	75
Height Max.	350
Design h (mm)	260
Loading Capacity	7bar 51 (KN)

Bellows 2 Ply

CLAMP RING : 311036
 TOP PLATE : 311034



CLAMP RING : 311036
 BOTTOM PLATE : 311035



Height Min.	75
Height Max.	350
Design h (mm)	260
Loading Capacity	7bar 51 (KN)

STYLE NUMBER : 2B-400
COMPLETE ORDER NO : 113403
BELLOW ORDER NO : 114400

DUNLOP : 16 x 2 SP 2340


GRANNING : 17017
 SAF : 3.228.1002.01



STYLE NUMBER : 2B-400
COMPLETE ORDER NO : 113404
BELLOW ORDER NO : 114400


DUNLOP : 16x2

GRANNING : 15830




CLAMP RING : 311036
 TOP PLATE : 311037

CLAMP RING : 311036
 BOTTOM PLATE : 311035



Height Min.	75
Height Max.	350
Design h (mm)	260
Loading Capacity	7bar 51 (KN)



TOP/BOTTOM CLAMP RING:
 311036

Bellows 2 Ply

STYLE NUMBER : 2B-400
COMPLETE ORDER NO : 113405
BELLOW ORDER NO : 114400

DUNLOP : 16x2



GRANNING : 17015

Height Min.	75
Height Max.	350
Design h (mm)	260
Loading Capacity	7bar 51 (KN)

STYLE NUMBER :2B-400
COMPLETE ORDER NO:113408
BELLOW ORDER NO :114400

DUNLOP : SP 1557 (PNP 304 150 113)

GRANNING : 15829
WEWELER : USN 5100 08DX



STYLE NUMBER :2B-400
COMPLETE ORDER NO:113409
BELLOW ORDER NO :114400


GRANNING : 15830




Bellows 4 Ply

STYLE NUMBER :2B-400 Hyd
COMPLETE ORDER NO:114401
BELLOW ORDER NO :114401

DUNLOP : 16x2 RE



Height Min.	75
Height Max.	350
Design h (mm)	260
Loading Capacity	7bar 51 (KN)





STYLE NUMBER :2B-400 Hyd
COMPLETE ORDER NO:113400
BELLOW ORDER NO :114401

DUNLOP : 16x2 RE


Height Min.	75
Height Max.	350
Design h (mm)	260
Loading Capacity	7bar 51 (KN)

STYLE NUMBER :2B-400 Hyd
COMPLETE ORDER NO:113401
BELLOW ORDER NO :114401

DUNLOP : 16x2 RE



Height Min.	75
Height Max.	350
Design h (mm)	260
Loading Capacity	7bar 51 (KN)



STYLE NUMBER :2B-400 Hyd
COMPLETE ORDER NO:113402
BELLOW ORDER NO :114401



DUNLOP : 16x2 RE

Height Min.	75
Height Max.	350
Design h (mm)	260
Loading Capacity	7bar 51 (KN)



STYLE NUMBER : 2B-400 Hyd
COMPLETE ORDER NO : 113406
BELLOW ORDER NO : 114401

DUNLOP : 16x2 RE




STYLE NUMBER : 2B-400 Hyd
COMPLETE ORDER NO : 113407
BELLOW ORDER NO : 114401


DUNLOP : 16x2 RE

GRANNING : 17015

STYLE NUMBER :3B-255
COMPLETE ORDER NO:116005
BELLOW ORDER NO :116005



Height Min.	100
Height Max.	400
Design h (mm)	250
Loading Capacity	7 bar 32 (KN)



Height Min.	100
Height Max.	400
Design h (mm)	250
Loading Capacity	7bar 32 (KN)

STYLE NUMBER :3B-255
COMPLETE ORDER NO:115055
BELLOW ORDER NO :116005

DUNLOP : SP 1539 (10 x 3)
CONTITECH : FT 210 32 1/2 M10


GRANNING : 15809
WEWELER : USN 510016D




STYLE NUMBER : 3B-255
COMPLETE ORDER NO : 115056
BELLOW ORDER NO : 116005

DUNLOP : SP1015 (10x3)
 CONTITECH : FT210-32

GRANNING : 15830



Height Min.	100
Height Max.	400
Design h (mm)	250
Loading Capacity	7bar 32 (KN)



STYLE NUMBER : 3B-255 Hyd
COMPLETE ORDER NO : 115057
BELLOW ORDER NO : 116006


Height Min.	100
Height Max.	400
Design h (mm)	250
Loading Capacity	7bar 32 (KN)

STYLE NUMBER :3B-300
COMPLETE ORDER NO:116001
BELLOW ORDER NO :116001


DUNLOP : SP 159 (VSM 10132) (12 x 3)
CONTITECH : FT 412- 325

GRANNING : 15818

Bellows 2 Ply



Height Min.	100
Height Max.	420
Design h (mm)	250
Loading Capacity	7 bar 35 (KN)



Height Min.	100
Height Max.	420
Design h (mm)	250
Loading Capacity	7bar 35 (KN)

STYLE NUMBER :3B-300
COMPLETE ORDER NO:115003
BELLOW ORDER NO :116001

DUNLOP : SP 1542 (PNP 305 520 178) (12x3)
CONTITECH : FT 412-32 1/2 M10



GRANNING : 15816
GIGANT : 881204



STYLE NUMBER :3B-300
COMPLETE ORDER NO:115004
BELLOW ORDER NO :116001

DUNLOP : SP 2666 (12 x 3)
 CONTITECH : FT 412-32 S

GRANNING : 15897
 BENALU : M 00 2297
 LOHR : A 060 30 606
 SAMRO : H 250-0011
 SMB : M 002 297
 GT FRUEHAUF : M 002 297
Trailor





STYLE NUMBER :3B-300
COMPLETE ORDER NO:115007
BELLOW ORDER NO :116001

DUNLOP : SP 1033 NB (12 x 3)
 CONTITECH : FT 412-32 S


Height Min.	100
Height Max.	420
Design h (mm)	250
Loading Capacity	7bar 35 (KN)

STYLE NUMBER :3B-300
COMPLETE ORDER NO:115014
BELLOW ORDER NO :116001



Height Min.	100
Height Max.	420
Design h (mm)	250
Loading Capacity	7bar 35 (KN)

Bellows 4 Ply



STYLE NUMBER :3B-300 Hyd
COMPLETE ORDER NO:116003
BELLOW ORDER NO :116003

DUNLOP : 12x3 RE
CONTITECH : FT 412-32

GRANNING : 15830


Height Min.	100
Height Max.	420
Design h (mm)	250
Loading Capacity	7bar 35 (KN)




STYLE NUMBER : 3B-300 Hyd
COMPLETE ORDER NO : 115005
BELLOW ORDER NO : 116003

DUNLOP : SP 2597 RE (12 x 3)
 CONTITECH : FT 412-32 S

BARTOLETTI : 91621322
 IVECO : 240/36 42107595
 VIBERTI : 128 118 103
 ZORZI : 100 6506



Height Min.	100
Height Max.	420
Design h (mm)	250
Loading Capacity	7bar 35 (KN)




STYLE NUMBER : 3B-300 Hyd
COMPLETE ORDER NO : 115011
BELLOW ORDER NO : 116003

DUNLOP : SP 1542 NB (12x3)
 CONTITECH : FT 412-32 S


Height Min.	100
Height Max.	420
Design h (mm)	250
Loading Capacity	7bar 35 (KN)

STYLE NUMBER : **3B-300 Hyd**
 COMPLETE ORDER NO: **115012**
 BELLOW ORDER NO : **116003**


DUNLOP : SP 2666 NB 12X3 NB
 CONTITECH : FT 412-32 S



CLAMP RING : 311007
 BOTTOM PLATE : 311009



Height Min.	100
Height Max.	420
Design h (mm)	250
Loading Capacity	7bar 35 (KN)



STYLE NUMBER : **3B-300 Hyd**
 COMPLETE ORDER NO: **115013**
 BELLOW ORDER NO : **116003**


DUNLOP : SP 2271 RE (12 x 3)
 CONTITECH : FT 412-32 S

Height Min.	100
Height Max.	420
Design h (mm)	250
Loading Capacity	7bar 35 (KN)




STYLE NUMBER :3B-305 Hyd
COMPLETE ORDER NO:116007
BELLOW ORDER NO :116007

Bellows 3 Ply





Height Min.	100
Height Max.	420
Design h (mm)	250
Loading Capacity	7 bar 35 (KN)



STYLE NUMBER :3B-305 Hyd
COMPLETE ORDER NO:115021
BELLOW ORDER NO :116007

STYLE NUMBER :3B-310
COMPLETE ORDER NO:115016
BELLOW ORDER NO :116008

FIRESTONE : W01 358 8032





STYLE NUMBER :3B-310
COMPLETE ORDER NO:115023
BELLOW ORDER NO :116008




STYLE NUMBER : 3B-310
COMPLETE ORDER NO : 115027
BELLOW ORDER NO : 116008

FIRESTONE : W01 358 8006
 GOODYEAR : 3B12-304

LOAD GUARD : SC2132
 SUSPENSIONS Inc: 200620
 TRIANGLE : 4430/ 4503



Height Min.	105
Height Max.	420
Design h (mm)	250
Loading Capacity	7 bar 35 (KN)



STYLE NUMBER : 3B-310 Hyd
COMPLETE ORDER NO : 116004
BELLOW ORDER NO : 116004



FIRESTONE : 38
 CONTITECH : FT 330-29 S

Height Min.	105
Height Max.	420
Design h (mm)	250
Loading Capacity	7bar 35 (KN)

STYLE NUMBER : 3B-310 Hyd
COMPLETE ORDER NO: 115008
BELLOW ORDER NO : 116004

GART : T271/S (271.3.296)
 CONTITECH : FT 330-29 P01

GRANNING : 17017
 SAF : 3.228.1002.01



STYLE NUMBER : 3B-310 Hyd
COMPLETE ORDER NO: 115009
BELLOW ORDER NO : 116004

DUNLOP : SP 12350- 12x3ReNB
 PIRELLI : 322 BB-93410


GRANNING : 17040
 ROLFO : 112273
 TOUGHLINE : 17040




STYLE NUMBER : 3B-310 Hyd
COMPLETE ORDER NO : 115010
BELLOW ORDER NO : 116004

DUNLOP : 512 302 (12x3NB)
 FIRESTONE : W01-M58-8017

GRANNING : 15673
 TOUFGLINE : 15673



Height Min.	120
Height Max.	420
Design h (mm)	250
Loading Capacity	7bar 35 (KN)





Height Min.	126
Height Max.	420
Design h (mm)	250
Loading Capacity	7 bar 35 (KN)

STYLE NUMBER : 3B-310 Hyd
COMPLETE ORDER NO : 115015
BELLOW ORDER NO : 116004

STYLE NUMBER :3B-310 Hyd
 COMPLETE ORDER NO :115024
 BELLOW ORDER NO :116004

CONTITECH : FT330-29



STYLE NUMBER :3B-310 Hyd
 COMPLETE ORDER NO :115028
 BELLOW ORDER NO :116004

GART : 271.3.298 (T271/S)
 CF GOMMA : 322 BB 204413



ROLFO : 112321



STYLE NUMBER :3B-310 Hyd
COMPLETE ORDER NO:115029
BELLOW ORDER NO :116004

GART : 271.3.298/ 2
CF GOMMA : 322 BB 204450

ROLFO : 112323




STYLE NUMBER :3B-310 Hyd
COMPLETE ORDER NO:115030
BELLOW ORDER NO :116004

PIRELLI : 93410 322 BB

ROLFO : 112273


STYLE NUMBER :3B-355
COMPLETE ORDER NO:116050
BELLOW ORDER NO :116050

Bellows 2 Ply



Height Min.	105
Height Max.	420
Design h (mm)	250
Loading Capacity	7bar 35 (KN)

Bellows 4 Ply



STYLE NUMBER :3B-355 Hyd
COMPLETE ORDER NO:116053
BELLOW ORDER NO :116053


Height Min.	105
Height Max.	420
Design h (mm)	250
Loading Capacity	7 bar




STYLE NUMBER : 3B-370
COMPLETE ORDER NO: 116100
BELLOW ORDER NO : 116100

DUNLOP : 14 1/2 x 3 SP 2007 (14 1/2 X RE)
 CONTITECH : FT 614-36 S

Bellows 2 Ply



Height Min.	100
Height Max.	450
Design h (mm)	300
Loading Capacity	7bar (42 KN)



STYLE NUMBER : 3B-370
COMPLETE ORDER NO: 115103
BELLOW ORDER NO : 116100

DUNLOP : 14 1/2 x 3 RE- SP 22799
 CONTITECH : FT 614-36 S


GRANNING : 15827

Height Min.	100
Height Max.	450
Design h (mm)	300
Loading Capacity	7bar (42 KN)


STYLE NUMBER :3B-370
COMPLETE ORDER NO:115104
BELLOW ORDER NO :116100

DUNLOP : 14 1/2 x 3- SP 2547
CONTITECH : FT 614-36 S

DIEBOLT : 27 99 070
FRUEHAUF : VFA 2520-1
LOHR : A 060 30 605



Height Min.	100
Height Max.	450
Design h (mm)	300
Loading Capacity	7bar (42 KN)



STYLE NUMBER :3B-370
COMPLETE ORDER NO:115105
BELLOW ORDER NO :116100

DUNLOP : 14 1/2 x 3 RE- SP 2169


Height Min.	100
Height Max.	450
Design h (mm)	300
Loading Capacity	7 bar




STYLE NUMBER : 3B-370
COMPLETE ORDER NO: 115108
BELLOW ORDER NO : 116100

DUNLOP : SP 1558 14 1/2 x 3
 CONTITECH : FT 614-36 1/2 M10


GRANNING : 15824
 WEWELER : USN 5100 18 KD




CLAMP RING : 311036
 BOTTOM PLATE : 311035



Height Min.	100
Height Max.	450
Design h (mm)	300
Loading Capacity	7 bar(42 KN)



CLAMP RING : 311036
 BOTTOM PLATE : 311035




Height Min.	100
Height Max.	450
Design h (mm)	300
Loading Capacity	7bar (42 KN)

STYLE NUMBER : 3B-370
COMPLETE ORDER NO: 115109
BELLOW ORDER NO : 116100


DUNLOP : 14 1/2 3 RE
 CONTITECH : FT 614-36 S

STYLE NUMBER :3B-370 Hyd
COMPLETE ORDER NO:116101
BELLOW ORDER NO :116001

DUNLOP : SP 2007 RE
CONTITECH : FT 614-36 S



Height Min.	100
Height Max.	450
Design h (mm)	300
Loading Capacity	7 bar



Height Min.	100
Height Max.	450
Design h (mm)	300
Loading Capacity	42 bar



3
STYLE NUMBER :3B-370 Hyd
COMPLETE ORDER NO:115100
BELLOW ORDER NO :116101

DUNLOP : 14 1/2x 3 RE
CONTITECH : FT 614-36 S




STYLE NUMBER : 3B-370 Hyd
COMPLETE ORDER NO : 115101
BELLOW ORDER NO : 116101

DUNLOP : 14 1/2x 3 RE
 CONTITECH : FT 614-36 S



Height Min.	100
Height Max.	450
Design h (mm)	300
Loading Capacity	7bar (42 KN)



STYLE NUMBER : 3B-370 Hyd
COMPLETE ORDER NO : 115102
BELLOW ORDER NO : 116101


DUNLOP : 14 1/2x 3 RE
 CONTITECH : FT 614-36 S

Height Min.	100
Height Max.	450
Design h (mm)	300
Loading Capacity	7bar (42 KN)


STYLE NUMBER :3B-370 Hyd
COMPLETE ORDER NO:115106
BELLOW ORDER NO :116101

DUNLOP : SP 2008 RE
CONTITECH : FT 614-36 S

GRANNING : 15827



Height Min.	100
Height Max.	450
Design h (mm)	300
Loading Capacity	7bar (42 KN)



Height Min.	100
Height Max.	450
Design h (mm)	300
Loading Capacity	7bar (42 KN)

STYLE NUMBER :3B-370 Hyd
COMPLETE ORDER NO:115107
BELLOW ORDER NO :116101


DUNLOP : 14 1/2x 3 RE
CONTITECH : FT 614-36 S




STYLE NUMBER : **3B-370** Hyd
COMPLETE ORDER NO : **115110**
BELLOW ORDER NO : **116101**

GART : T271/S (271.3.296)
 CONTITECH : FT 614-36 S

GRANNING : 15827



Height Min.	100
Height Max.	450
Design h (mm)	300
Loading Capacity	7bar (42 KN)



STYLE NUMBER : **3B-370** Hyd
COMPLETE ORDER NO : **115111**
BELLOW ORDER NO : **116101**


DUNLOP : SP 2526 RE 14 1/2 x 3RE
 CONTITECH : FT 614-36S

GRANNING : 15827

Height Min.	100
Height Max.	450
Design h (mm)	300
Loading Capacity	7bar (42 KN)

STYLE NUMBER :3B-370 Hyd
COMPLETE ORDER NO:115113
BELLOW ORDER NO :116101


DUNLOP (FR) : SP 2169 RE



Height Min.	
Height Max.	
Design h (mm)	
Loading Capacity	7 bar

Hyd

Bellows 4 Ply



STYLE NUMBER :3B-400 Hyd
COMPLETE ORDER NO:116151
BELLOW ORDER NO :116151

DUNLOP : 16x3 RE (PNP 313 170 160)



GRANNING : 15833

Height Min.	125
Height Max.	500
Design h (mm)	
Loading Capacity	7bar (50 KN)





STYLE NUMBER : **3B-400 Hyd**
COMPLETE ORDER NO : **115150**
BELLOW ORDER NO : **116151**

DUNLOP : 16 x 3 RE



Height Min.	125
Height Max.	500
Design h (mm)	
Loading Capacity	7bar (50 KN)




Height Min.	125
Height Max.	500
Design h (mm)	
Loading Capacity	7bar (50 KN)

STYLE NUMBER : **3B-400 Hyd**
COMPLETE ORDER NO : **115151**
BELLOW ORDER NO : **116151**


DUNLOP : 16 x 3 RE

STYLE NUMBER :3B-400 Hyd
COMPLETE ORDER NO:115152
BELLOW ORDER NO :116151

DUNLOP : 16 x 3 RE



Height Min.	125
Height Max.	500
Design h (mm)	
Loading Capacity	7bar (50 KN)



STYLE NUMBER :3B-400 Hyd
COMPLETE ORDER NO:115153
BELLOW ORDER NO :116151



DUNLOP : SP 2156 (16" x 3 RE)

Height Min.	125
Height Max.	500
Design h (mm)	
Loading Capacity	7bar (50 KN)



STYLE NUMBER : 3B-400_{Hyd}
COMPLETE ORDER NO : 115154
BELLOW ORDER NO : 116151

DUNLOP : SP 2156 (16 x 3 RE)



STYLE NUMBER : 3B-400_{Hyd}
COMPLETE ORDER NO : 115155
BELLOW ORDER NO : 116151

DUNLOP : SP 2141 (PNP 313 170 100)
 : 16 x 3 RE

GRANNING : 15832
 KAISER : WC 074 0236
